

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12458	header with compress\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:30
L2	323	compress\$3 near2 header and (370/252 370/384 370/392 370/349 370/395.2 455/517 709/247).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:59
L3	215	2 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:00
L4	31	3 and congestion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:00
L5	385	compress\$3 near2 header and (370/252 370/384 370/392 370/349 370/395.2 370/474 455/517 709/247).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:00
L6	31	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:00
L7	31	6 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:01
S1	902	compressed adj2 header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 12:42
S2	3635	compress\$3 near2 header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:38

EAST Search History

S3	1	S2 and (re\$transmission adj2 ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:11
S4	4	S2 and (re\$transmission adj2 rat\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:17
S5	4	S2 and (re\$transmission adj2 (rat\$2 or proportion or percentage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:22
S6	9	S2 and (re\$transmission near2 (rat\$2 or proportion or percentage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:24
S7	37	S2 and (re\$transmission near2 (rat\$2 or proportion or percentage or number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:00
S8	7	average near3 packet near3 (re\$transmission near2 (rat\$2 or proportion or percentage or number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:03
S9	1308	((schedul\$3 or choos\$3 or decid\$3 or determ\$5) with ((transmi\$7 or send\$3) near3 (time or period))) same (load\$3 or overload\$3) or (re\$transmission near2 (rat\$2 or proportion or percentage or number) same (full near2 packet) or (((uncompressed or noncompressed) adj2 header) near5 packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 12:42
S10	4792	(\$2compressed or full) adj2 (header or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 10:28

EAST Search History

S11	4794	(\$3compressed or full) adj2 (header or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 12:48
S12	1971	S11 and ((transmi\$7 or send\$3) near3 (period or time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:05
S13	1498	S12 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:56
S14	1875	S12 and (decid\$3 or determi\$3 or schedul\$3 or choos\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:10
S15	46	S14 and (operating near3 state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:11
S16	33	S14 and (re\$transmission adj2 rat\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 16:12
S17	166258	determin\$4 with ((operating near2 state) or congest\$4or load\$3 or unload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 10:26
S18	773	S17 and ((compress\$3 or full) near3 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:43
S19	579	S18 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:41

EAST Search History

S20	269	S19 and ("370".clas. or "370".cxr.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:43
S21	978	S17 and ((compress\$3 or full) near3 (packet or header))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:43
S22	359	S21 and ("370".clas. or "370".cxr.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 10:31
S23	291	S22 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:44
S26	25	retransmission adj2 ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:34
S27	15	(izawa and kenji).in. and nec.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 07:52
S28	2	"5701302".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 07:52
S29	166421	determin\$4 with ((operating near2 state) or congest\$4or load\$3 or unload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:43
S30	773	S29 and ((compress\$3 or full) near3 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:15

EAST Search History

S31	25	retransmission adj2 ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 10:30
S32	1	S29 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 10:26
S33	1	S29 and retransmission adj2 ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 10:31
S34	1691	S29 and retransmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:38
S35	646	S34 and ("370".clas. or "370".cxr.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:45
S36	505	S35 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:14
S37	278	S36 and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:14
S38	2317	determin\$4 with ((operating near2 state) or congest\$4or load\$3 or unload\$3) and (re\$transmission or (repeat\$3 near3 transmission))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:13
S39	744	S38 and ("370".clas. or "370".cxr.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:39

EAST Search History

S41	606	S39 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:40
S42	302	S41 and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:26
S43	44	S42 and ((compress\$3 or full) near3 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:17
S44	4	S42 and (compress\$3 near3 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:57
S45	67	S29 and (retransmission same threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:39
S46	43	S45 and ("370".clas. or "370".cxr.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:39
S47	33	S46 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:45
S48	10	S47 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 14:47
S49	0	"09595256".ad.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 14:49

EAST Search History

S53	0	"09595256".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 14:49
S54	2	"595256".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 14:49
S55	4	"598256".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:35
S56	2	"5850526".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:36
S57	2	"4803685".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:36
S58	4738	determin\$4 with ((operating near2 state) or congest\$4or load\$3 or unload\$3) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:43
S59	885	S58 and ("370".clas. or "370".cxr.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:45
S60	650	S59 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 15:22
S61	12	S60 and (compress\$3 near3 (header or packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:19

EAST Search History

S63	21	retransmission same moving adj2 average	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:43
S65	192	period same ((full or \$compressed) adj2 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 15:55
S66	127	S65 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:56
S67	518	(re\$transmission adj2 rat\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 16:12
S68	343	S67 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 16:13
S69	0	f\$max\$period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:13
S70	31	rfc2507	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:14
S71	7	S70 and retransmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:17
S72	4	S70 and congest\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:50

EAST Search History

S73	2	"5293379".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:51
S74	2	"5446736".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:54
S75	2	"5579316".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:55
S76	2	"5627829".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:56
S77	86	compressed adj2 packet same period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:56
S78	59	S77 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:00
S82	16	determin\$5 same period same (compressed adj2 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:09
S83	32	(determin\$5 or set\$4) same period same (compressed adj2 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:15
S84	4	establish\$3 same period same (compressed adj2 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:16

EAST Search History

S85	2	"5761438".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:18
S86	552	congest\$3 with compress\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 17:47
S87	390	S86 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 15:34
S88	25	congest\$3 with compress\$3 with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 19:39
S89	10	S88 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 15:39
S90	2	"6954460"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 15:29
S91	17	"6421720"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 15:30
S92	799	congest\$3 with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 15:39
S93	599	S92 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 17:47

EAST Search History

S94	40	congest\$3 same (header near3 compress\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 16:18
S95	21	S94 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 16:18
S96	46	congest\$3 same (header near5 compress\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 16:22
S97	25	S96 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 16:22
S98	84	congest\$3 same (header same compress\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 16:22
S99	56	S98 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 19:39
S10 1	357	congest\$3 and (compress\$3 near3 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 17:47
S10 2	244	S101 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 19:01
S10 3	12	"6577596"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 19:01

EAST Search History

S10 4	254	congest\$3 with (compress\$3 full) with (header packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 07:01
S10 5	162	S104 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 19:39
S10 6	3828	370/252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 07:01
S10 7	41	(\$2compressed or full) adj2 (header or packet) with congestion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 15:06
S10 8	6	(\$2compressed or full) adj2 (header or packet) with congested	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 11:01
S10 9	1	(\$2compressed or full) adj2 (header or packet) with (high adj2 traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 11:01
S11 0	20	(\$2compressed or full) adj2 (header or packet) same congested	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 11:02
S11 2	107	(\$2compressed or full) adj2 (header or packet) same (congest\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:16
S11 3	66	S112 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 12:52

EAST Search History

S11 4	146	(compress\$3 uncompress\$3 normal full) adj2 (header) same (congest\$3 period\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 13:36
S11 5	91	S114 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 15:10
S11 6	29	(compress\$3 uncompress\$3 normal full) adj2 (header) same (congest\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 13:36
S11 7	77	(compress\$3 uncompress\$3 normal full) adj2 (header) same (congest\$3 bus\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 13:36
S11 8	44	S117 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 13:37
S11 9	1064	(uncompress\$3 compress\$3 full) with (header or packet) with (congestion busy load\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 15:16
S12 0	787	S119 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 15:16
S12 1	8	S120 and 370/471.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 15:13
S12 2	322	S120 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 15:17

EAST Search History

S12 3	376	(uncompress\$3 compress\$3 full) with (header) with (congestion busy load\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 16:36
S12 4	269	S123 and (@ad<="20020828" or @rlad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 15:16
S12 5	44	S124 and ("370".clas. "709".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 15:17
S12 6	40	(US-20050163098-\$ or US-20040095939-\$ or US-20040039830-\$ or US-20050286523-\$ or US-20020094027-\$ or US-20030031210-\$ or US-20020152299-\$ or US-20020097722-\$ or US-20040071096-\$ or US-20020031086-\$ or US-20030067918-\$ or US-20050195750-\$ or US-20040202167-\$ or US-20030130000-\$ or US-20010030963-\$).did. or (US-6535925-\$ or US-6560206-\$ or US-6914903-\$ or US-6256334-\$ or US-7155235-\$ or US-7120131-\$ or US-7069015-\$ or US-7061936-\$ or US-7039034-\$ or US-6845105-\$ or US-6791944-\$ or US-7068599-\$ or US-6542504-\$ or US-5761438-\$ or US-6023475-\$ or US-6577596-\$ or US-6834039-\$ or US-6049549-\$ or US-5515377-\$ or US-6886040-\$ or US-7031666-\$ or US-7006472-\$ or US-7313152-\$ or US-6954460-\$).did. or (JP-2002094554-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2008/02/04 16:33
S12 8	39	S126 and (state busy congestion congested load\$2 traffic)	US-PGPUB; USPAT; DERWENT	OR	ON	2008/02/04 16:35

EAST Search History

S12 9	518	(uncompress\$3 compress\$3 full) with (header) with (congestion busy load\$2 delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 16:37
S13 0	376	(uncompress\$3 compress\$3 full) with (header) with (congestion busy load\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 16:37
S13 1	159	(uncompress\$3 compress\$3 full) with (header) with (delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 16:37
S13 2	110	S131 and (@ad<="20020828" or @riad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 16:39
S13 3	28	(((\$2compressed or full) and (header or packet) and (congest\$3) and (period))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:30
S13 4	2	(((\$2compressed or full) and (header or packet) and (congest\$3) and (periodic))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:26
S13 5	29	(((\$2compressed or full) and (header or packet) and (congest\$3) and (period\$2))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:28